



Face Brick Dimensions, Weights, and Coverage

Name	Depth (D)		Height (H)		Length (L)		Weights		Units/Area		Packaging	
	in	mm	in	mm	in	mm	lbs	kg	Units/ft ²	Units/m ²	Type	QTY
Modular 4 x 2 1/4 x 8	3 5/8	92	2 1/4	57	7 5/8	194	3.6	1.7	6.86	73.8	Cube	500
Modular Solid 4 x 2 1/4 x 8	3 5/8	92	2 1/4	57	7 5/8	194	4.8	2.1	6.86	73.8	Cube	500
Engineer 4 x 2 3/4 x 8	3 5/8	92	2 3/4	70	7 5/8	194	3.0	1.4	5.80	60.3	Cube	380
King 3 x 3 x 10	3	76	2 5/8	67	9 5/8	244	4.5	2.04	4.80	51.7	Cube	424
Closure 4 x 4 x 8	3 5/8	92	3 5/8	90	7 5/8	194	5.2	2.3	4.50	48.4	Cube	305
8 Square 4 x 8 x 8	3 5/8	92	7 5/8	192	7 5/8	194	11.1	5.03	2.25	24.2	Pallet	128
Roman Norman 4 x 1 5/8 x 12	3 5/8	92	1 5/8	41	11 5/8	295	4.0	1.8	6.00	64.6	Pallet	408
Norman 4 x 2 1/4 x 12	3 5/8	92	2 1/4	57	11 5/8	295	5.2	2.3	4.60	49.8	Cube	300
Utility 4 x 4 x 12	3 5/8	92	3 5/8	90	11 5/8	295	8.0	3.62	3.00	32.3	Cube	183
Roman Emperor® 4 x 1 5/8 x 16	3 5/8	92	1 5/8	41	15 5/8	397	6.0	2.7	4.50	48.4	Pallet	272
Emperor® 4 x 2 1/4 x 16	3 5/8	92	2 1/4	57	15 5/8	397	6.7	3.03	3.43	36.5	Pallet	234
Emperor® 4 x 4 x 16	3 5/8	92	3 5/8	90	15 5/8	397	10.6	4.8	2.25	24.2	Pallet	160
Super Emperor® 4 x 8 x 16	3 5/8	92	7 5/8	192	15 5/8	397	22.5	10.2	1.13	12.1	Pallet	64

The Above Brick Manufactured by Interstate® Brick comply with the following specifications:

ASTM C216: Grade SW; Type FBS, FBX or FBA as specified in Purchase Order
CSA A82: Cored brick; Grade EG; Type S, X, or A as specified in the Purchase Order